

## CR TOXIC MARRIAGE

Sample ID: 2404APO1774.8368  
Strain: TOXIC MARRIAGE  
Matrix: Concentrates & Extracts  
Type: Batter/Badder  
Source Batch #:

Produced:  
Collected: 04/26/2024 02:10 pm  
Received: 04/26/2024  
Completed: 05/01/2024  
Batch #: EX042324-TM-CR  
Harvest Date: 06/16/2023

Client  
**Globe Pharmacy Inc**  
Lic. # 00000045DCYU00647140

Lot #:  
Production Date: 04/23/2024  
Production Method: Butane



### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 04/29/2024  | Complete |
| Residual Solvents | 04/29/2024  | Pass     |
| Microbials        | 04/29/2024  | Pass     |
| Mycotoxins        | 04/29/2024  | Pass     |
| Pesticides        | 04/29/2024  | Pass     |
| Heavy Metals      | 04/29/2024  | Pass     |

### Cannabinoids by SOP-6

Complete

|           |           |                                    |                                |
|-----------|-----------|------------------------------------|--------------------------------|
| 75.8123%  | 0.2871%   | 87.7091%                           | NT                             |
| Total THC | Total CBD | Total Cannabinoids <sup>(Q3)</sup> | Total Terpenes <sup>(Q3)</sup> |

| Analyte   | LOD | LOQ    | Result  | Result   | Q |
|-----------|-----|--------|---------|----------|---|
|           | %   | %      | %       | mg/g     |   |
| THCa      |     | 0.1000 | 84.1839 | 841.839  |   |
| Δ9-THC    |     | 0.1000 | 1.9831  | 19.831   |   |
| Δ8-THC    |     | 0.1000 | ND      | ND       |   |
| THCV      |     | 0.1000 | ND      | ND       |   |
| CBDa      |     | 0.1000 | 0.1703  | 1.703    |   |
| CBD       |     | 0.1000 | 0.1377  | 1.377    |   |
| CBDVa     |     | 0.1000 | ND      | ND       |   |
| CBDV      |     | 0.1000 | ND      | ND       |   |
| CBN       |     | 0.1000 | ND      | ND       |   |
| CBGa      |     | 0.1000 | 1.0302  | 10.302   |   |
| CBG       |     | 0.1000 | 0.2040  | 2.040    |   |
| CBC       |     | 0.1000 | ND      | ND       |   |
| Total THC |     |        | 75.8123 | 758.1230 |   |
| Total CBD |     |        | 0.2871  | 2.8710   |   |
| Total     |     |        | 87.7091 | 877.091  |   |

Date Tested: 04/29/2024 07:00 am



*[Signature]*

Bryant Kearl  
Lab Director  
05/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



#### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

#### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## CR TOXIC MARRIAGE

Sample ID: 2404APO1774.8368  
Strain: TOXIC MARRIAGE

Matrix: Concentrates & Extracts  
Type: Batter/Badder  
Source Batch #:

Produced:  
Collected: 04/26/2024 02:10 pm  
Received: 04/26/2024  
Completed: 05/01/2024  
Batch #: EX042324-TM-CR  
Harvest Date: 06/16/2023

Client  
**Globe Farmacy Inc**  
Lic. # 00000045DCYU00647140

Lot #:  
Production Date: 04/23/2024  
Production Method: Butane

## Pesticides by SOP-22

Pass

| Analyte             | LOQ    | Limit  | Mass | Q | Status | Analyte         | LOQ    | Limit  | Mass | Q | Status |
|---------------------|--------|--------|------|---|--------|-----------------|--------|--------|------|---|--------|
|                     | PPM    | PPM    | PPM  |   |        |                 | PPM    | PPM    | PPM  |   |        |
| Abamectin           | 0.2500 | 0.5000 | ND   |   | Pass   | Hexythiazox     | 0.5000 | 1.0000 | ND   |   | Pass   |
| Acephate            | 0.2000 | 0.4000 | ND   |   | Pass   | Imazalil        | 0.1000 | 0.2000 | ND   |   | Pass   |
| Acetamiprid         | 0.1000 | 0.2000 | ND   |   | Pass   | Imidacloprid    | 0.2000 | 0.4000 | ND   |   | Pass   |
| Aldicarb            | 0.2000 | 0.4000 | ND   |   | Pass   | Kresoxim Methyl | 0.2000 | 0.4000 | ND   |   | Pass   |
| Azoxystrobin        | 0.1000 | 0.2000 | ND   |   | Pass   | Malathion       | 0.1000 | 0.2000 | ND   |   | Pass   |
| Bifenazate          | 0.1000 | 0.2000 | ND   |   | Pass   | Metalaxyl       | 0.1000 | 0.2000 | ND   |   | Pass   |
| Bifenthrin          | 0.1000 | 0.2000 | ND   |   | Pass   | Methiocarb      | 0.1000 | 0.2000 | ND   |   | Pass   |
| Boscalid            | 0.2000 | 0.4000 | ND   |   | Pass   | Methomyl        | 0.2000 | 0.4000 | ND   |   | Pass   |
| Carbaryl            | 0.1000 | 0.2000 | ND   |   | Pass   | Myclobutanil    | 0.1000 | 0.2000 | ND   |   | Pass   |
| Carbofuran          | 0.1000 | 0.2000 | ND   |   | Pass   | Naled           | 0.2500 | 0.5000 | ND   |   | Pass   |
| Chlorantraniliprole | 0.1000 | 0.2000 | ND   |   | Pass   | Oxamyl          | 0.5000 | 1.0000 | ND   |   | Pass   |
| Chlorfenapyr        | 0.5000 | 1.0000 | ND   |   | Pass   | Paclobutrazol   | 0.2000 | 0.4000 | ND   |   | Pass   |
| Chlorpyrifos        | 0.1000 | 0.2000 | ND   |   | Pass   | Permethrins     | 0.1000 | 0.2000 | ND   |   | Pass   |
| Clofentezine        | 0.1000 | 0.2000 | ND   |   | Pass   | Phosmet         | 0.1000 | 0.2000 | ND   |   | Pass   |
| Cyfluthrin          | 0.5000 | 1.0000 | ND   |   | Pass   | Piperonyl       | 1.0000 | 2.0000 | ND   |   | Pass   |
| Cypermethrin        | 0.5000 | 1.0000 | ND   |   | Pass   | Butoxide        |        |        |      |   |        |
| Daminozide          | 0.5000 | 1.0000 | ND   |   | Pass   | Prallethrin     | 0.1000 | 0.2000 | ND   |   | Pass   |
| Diazinon            | 0.1000 | 0.2000 | ND   |   | Pass   | Propiconazole   | 0.2000 | 0.4000 | ND   |   | Pass   |
| Dichlorvos          | 0.0500 | 0.1000 | ND   |   | Pass   | Propoxur        | 0.1000 | 0.2000 | ND   |   | Pass   |
| Dimethoate          | 0.1000 | 0.2000 | ND   |   | Pass   | Pyrethrins      | 0.5000 | 1.0000 | ND   |   | Pass   |
| Ethoprophos         | 0.1000 | 0.2000 | ND   |   | Pass   | Pyridaben       | 0.1000 | 0.2000 | ND   |   | Pass   |
| Etofenprox          | 0.2000 | 0.4000 | ND   |   | Pass   | Spinosad        | 0.1000 | 0.2000 | ND   |   | Pass   |
| Etoxazole           | 0.1000 | 0.2000 | ND   |   | Pass   | Spiromesifen    | 0.1000 | 0.2000 | ND   |   | Pass   |
| Fenoxycarb          | 0.1000 | 0.2000 | ND   |   | Pass   | Spirotetramat   | 0.1000 | 0.2000 | ND   |   | Pass   |
| Fenpyroximate       | 0.2000 | 0.4000 | ND   |   | Pass   | Spiroxamine     | 0.2000 | 0.4000 | ND   |   | Pass   |
| Fipronil            | 0.2000 | 0.4000 | ND   |   | Pass   | Tebuconazole    | 0.2000 | 0.4000 | ND   |   | Pass   |
| Flonicamid          | 0.5000 | 1.0000 | ND   |   | Pass   | Thiacloprid     | 0.1000 | 0.2000 | ND   |   | Pass   |
| Fludioxonil         | 0.2000 | 0.4000 | ND   |   | Pass   | Thiamethoxam    | 0.1000 | 0.2000 | ND   |   | Pass   |
|                     |        |        |      |   |        | Trifloxystrobin | 0.1000 | 0.2000 | ND   |   | Pass   |

Date Tested: 04/29/2024 07:00 am



*[Signature]*

Bryant Kearl  
Lab Director  
05/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## CR TOXIC MARRIAGE

Sample ID: 2404APO1774.8368  
Strain: TOXIC MARRIAGE  
Matrix: Concentrates & Extracts  
Type: Batter/Badder  
Source Batch #:

Produced:  
Collected: 04/26/2024 02:10 pm  
Received: 04/26/2024  
Completed: 05/01/2024  
Batch #: EX042324-TM-CR  
Harvest Date: 06/16/2023

Client  
**Globe Pharmacy Inc**  
Lic. # 00000045DCYU00647140  
  
Lot #:  
Production Date: 04/23/2024  
Production Method: Butane

## Microbials

Pass

| Analyte                                                                       | Limit                       | Result | Status | Q |
|-------------------------------------------------------------------------------|-----------------------------|--------|--------|---|
| Salmonella SPP by QPCR: SOP-15                                                | Detected/Not Detected in 1g | ND     | Pass   |   |
| Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14 | Detected/Not Detected in 1g | ND     | Pass   |   |
| Aspergillus Terreus by QPCR: SOP-14                                           | Detected/Not Detected in 1g | ND     | Pass   |   |

| Analyte                                | LOQ   | Limit | Result     | Status | Q |
|----------------------------------------|-------|-------|------------|--------|---|
|                                        | CFU/g | CFU/g | CFU/g      |        |   |
| E. Coli by traditional plating: SOP-13 | 10.0  | 100.0 | < 10 CFU/g | Pass   |   |

Date Tested: 04/29/2024 12:00 am

## Mycotoxins by SOP-22

Pass

| Analyte          | LOD   | LOQ   | Limit | Units | Status | Q |
|------------------|-------|-------|-------|-------|--------|---|
|                  | µg/kg | µg/kg | µg/kg | µg/kg |        |   |
| B1               | 5     | 10    | 20    | ND    | Pass   |   |
| B2               | 5     | 10    | 20    | ND    | Pass   |   |
| G1               | 5     | 10    | 20    | ND    | Pass   |   |
| G2               | 5     | 10    | 20    | ND    | Pass   |   |
| Total Aflatoxins | 5     | 10    | 20    | ND    | Pass   |   |
| Ochratoxin A     | 5     | 10    | 20    | ND    | Pass   |   |

Date Tested: 04/29/2024 07:00 am

## Heavy Metals by SOP-21

Pass

| Analyte | LOD    | LOQ    | Limit  | Units | Status | Q  |
|---------|--------|--------|--------|-------|--------|----|
|         | PPM    | PPM    | PPM    | PPM   |        |    |
| Arsenic | 0.0660 | 0.1330 | 0.4000 | ND    | Pass   | V1 |
| Cadmium | 0.0660 | 0.1330 | 0.4000 | ND    | Pass   |    |
| Lead    | 0.1660 | 0.3330 | 1.0000 | ND    | Pass   |    |
| Mercury | 0.0330 | 0.0660 | 0.2000 | ND    | Pass   |    |

Date Tested: 04/29/2024 07:00 am



*[Signature]*

Bryant Kearl  
Lab Director  
05/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;  
**KEEP OUT OF REACH OF CHILDREN.**  
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## CR TOXIC MARRIAGE

Sample ID: 2404APO1774.8368  
Strain: TOXIC MARRIAGE  
Matrix: Concentrates & Extracts  
Type: Batter/Badder  
Source Batch #:

Produced:  
Collected: 04/26/2024 02:10 pm  
Received: 04/26/2024  
Completed: 05/01/2024  
Batch #: EX042324-TM-CR  
Harvest Date: 06/16/2023

Client  
**Globe Farmacy Inc**  
Lic. # 00000045DCYU00647140  
  
Lot #:  
Production Date: 04/23/2024  
Production Method: Butane

## Residual Solvents by SOP-3

| Analyte                 | LOQ       | Limit     | Mass | Status | Q    |
|-------------------------|-----------|-----------|------|--------|------|
|                         | PPM       | PPM       | PPM  |        | Pass |
| Acetone                 | 381.0000  | 1000.0000 | ND   | Pass   |      |
| Acetonitrile            | 154.0000  | 410.0000  | ND   | Pass   |      |
| Benzene                 | 1.0000    | 2.0000    | ND   | Pass   |      |
| Butanes                 | 1914.0000 | 5000.0000 | <LOQ | Pass   |      |
| Chloroform              | 24.0000   | 60.0000   | ND   | Pass   |      |
| Dichloromethane         | 231.0000  | 600.0000  | ND   | Pass   |      |
| Ethanol                 | 1910.0000 | 5000.0000 | ND   | Pass   |      |
| Ethyl-Acetate           | 1907.0000 | 5000.0000 | ND   | Pass   |      |
| Ethyl-Ether             | 1901.0000 | 5000.0000 | ND   | Pass   |      |
| n-Heptane               | 1892.0000 | 5000.0000 | ND   | Pass   |      |
| Hexanes                 | 115.0000  | 290.0000  | ND   | Pass   |      |
| Isopropanol             | 1915.0000 | 5000.0000 | ND   | Pass   |      |
| Isopropyl-Acetate       | 1908.0000 | 5000.0000 | ND   | Pass   |      |
| Methanol                | 1141.0000 | 3000.0000 | ND   | Pass   |      |
| Pentane                 | 1923.0000 | 5000.0000 | ND   | Pass   |      |
| Toluene                 | 343.0000  | 890.0000  | ND   | Pass   |      |
| Xylenes + Ethyl Benzene | 841.0000  | 2170.0000 | ND   | Pass   |      |

Date Tested: 04/29/2024 07:00 am



*[Signature]*

Bryant Kearl  
Lab Director  
05/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## CR TOXIC MARRIAGE

Sample ID: 2404APO1774.8368  
Strain: TOXIC MARRIAGE  
Matrix: Concentrates & Extracts  
Type: Batter/Badder  
Source Batch #:

Produced:  
Collected: 04/26/2024 02:10 pm  
Received: 04/26/2024  
Completed: 05/01/2024  
Batch #: EX042324-TM-CR  
Harvest Date: 06/16/2023

Client  
**Globe Pharmacy Inc**  
Lic. # 00000045DCYU00647140

Lot #:  
Production Date: 04/23/2024  
Production Method: Butane

## Terpenes

| Analyte | LOQ | Mass | Mass | Q | Analyte | LOQ | Mass | Mass | Q |
|---------|-----|------|------|---|---------|-----|------|------|---|
|---------|-----|------|------|---|---------|-----|------|------|---|



## Primary Aromas

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

Date Tested:



*[Signature]*

Bryant Kearl  
Lab Director  
05/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## CR TOXIC MARRIAGE

Sample ID: 2404APO1774.8368  
Strain: TOXIC MARRIAGE

Matrix: Concentrates & Extracts  
Type: Batter/Badder  
Source Batch #:

Produced:  
Collected: 04/26/2024 02:10 pm  
Received: 04/26/2024  
Completed: 05/01/2024  
Batch #: EX042324-TM-CR  
Harvest Date: 06/16/2023

Client  
**Globe Pharmacy Inc**  
Lic. # 00000045DCYU00647140

Lot #:  
Production Date: 04/23/2024  
Production Method: Butane

## Qualifiers Definitions

| Qualifier Notation | Qualifier Description                                                                                                                                                                                                                                                                                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| I1                 | The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference                                                                                                                                                                                  |
| L1                 | When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample |
| M1                 | The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                                                                                                            |
| M2                 | The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                                                                                                             |
| M3                 | The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                              |
| R1                 | The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria                                                                                                                                                                            |
| V1                 | The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample                                                                                                        |
| Q2                 | The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis                                                                                                                         |
| Q3                 | Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317                                                                                                                                                                                                 |

## Notes and Addenda:



*[Signature]*

Bryant Kearl  
Lab Director  
05/01/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.