

## JUICY J

Sample ID: 2607APO3391.16803  
Strain: JUICY J

Matrix: Plant  
Type: Flower - Cured  
Source Batch #:

Collected: 07/24/2026 07:23 am  
Received: 07/27/2026  
Completed: 07/30/2026  
Batch #: 063026R182-JJ  
Harvest Date: 06/30/2026

Client  
**Globe Pharmacy Inc**  
Lic. # 00000045DCYU00647140

Lot #:  
Production/Manufacture Date:  
Production/Manufacture Method: Mixed Light



## Summary

| Test         | Date Tested | Result   |
|--------------|-------------|----------|
| Batch        |             | Pass     |
| Cannabinoids | 07/28/2026  | Complete |
| Microbials   | 07/30/2026  | Pass     |
| Pesticides   | 07/28/2026  | Pass     |
| Heavy Metals | 07/27/2026  | Pass     |

## Cannabinoids by SOP-6

Complete

|           |           |                                    |                                |
|-----------|-----------|------------------------------------|--------------------------------|
| 20.4112 % | ND        | 23.8815 %                          | NT                             |
| Total THC | Total CBD | Total Cannabinoids <sup>(Q3)</sup> | Total Terpenes <sup>(Q3)</sup> |

| Analyte          | LOD | LOQ    | Result  | Result   | Q  |
|------------------|-----|--------|---------|----------|----|
|                  | %   | %      | %       | mg/g     |    |
| THCa             |     | 0.1000 | 22.6494 | 226.494  |    |
| Δ9-THC           |     | 0.1000 | 0.5478  | 5.478    |    |
| Δ8-THC           |     | 0.1000 | ND      | ND       |    |
| THCV             |     | 0.1000 | ND      | ND       |    |
| CBDa             |     | 0.1000 | <LOQ    | <LOQ     |    |
| CBD              |     | 0.1000 | ND      | ND       |    |
| CBDVa            |     | 0.1000 | ND      | ND       |    |
| CBDV             |     | 0.1000 | ND      | ND       |    |
| CBN              |     | 0.1000 | ND      | ND       |    |
| CBGa             |     | 0.1000 | 0.6844  | 6.844    |    |
| CBG              |     | 0.1000 | <LOQ    | <LOQ     |    |
| CBC              |     | 0.1000 | ND      | ND       |    |
| (6aR,9S)-Δ10-THC |     | 0.1000 | ND      | ND       |    |
| (6aR,9R)-Δ10-THC |     | 0.1000 | ND      | ND       |    |
| Total THC        |     |        | 20.4112 | 204.1126 |    |
| Total CBD        |     |        | ND      | ND       |    |
| Total            |     |        | 23.8815 | 238.8153 | Q3 |

Date Tested: 07/28/2026 12:00 am

This CoA's Total THC% is compliant with the July 1st 2026 version of the ruleset.



*Anthony Settanni*  
Anthony Settanni  
Lab Director  
07/30/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;  
**KEEP OUT OF REACH OF CHILDREN.**

The product associated with the CoA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

## JUICY J

Sample ID: 2607APO3391.16803  
Strain: JUICY J

Matrix: Plant  
Type: Flower - Cured  
Source Batch #:

Collected: 07/24/2026 07:23 am  
Received: 07/27/2026  
Completed: 07/30/2026  
Batch #: 063026R182-JJ  
Harvest Date: 06/30/2026

Client  
**Globe Farmacy Inc**  
Lic. # 00000045DCYU00647140

Lot #:  
Production/Manufacture Date:  
Production/Manufacture Method: Mixed Light

## Pesticides by SOP-22

Pass

| Analyte             | LOQ    | Limit  | Result | Q | Status | Analyte         | LOQ    | Limit  | Result | Q | Status |
|---------------------|--------|--------|--------|---|--------|-----------------|--------|--------|--------|---|--------|
|                     | PPM    | PPM    | PPM    |   |        |                 | PPM    | PPM    | PPM    |   |        |
| Abamectin           | 0.2500 | 0.5000 | ND     |   | Pass   | Hexythiazox     | 0.5000 | 1.0000 | ND     |   | Pass   |
| Acephate            | 0.2000 | 0.4000 | ND     |   | Pass   | Imazalil        | 0.1000 | 0.2000 | ND     |   | Pass   |
| Acetamiprid         | 0.1000 | 0.2000 | ND     |   | Pass   | Imidacloprid    | 0.2000 | 0.4000 | ND     |   | Pass   |
| Aldicarb            | 0.2000 | 0.4000 | ND     |   | Pass   | Kresoxim Methyl | 0.2000 | 0.4000 | ND     |   | Pass   |
| Azoxystrobin        | 0.1000 | 0.2000 | ND     |   | Pass   | Malathion       | 0.1000 | 0.2000 | ND     |   | Pass   |
| Bifenazate          | 0.1000 | 0.2000 | ND     |   | Pass   | Metalaxyl       | 0.1000 | 0.2000 | ND     |   | Pass   |
| Bifenthrin          | 0.1000 | 0.2000 | ND     |   | Pass   | Methiocarb      | 0.1000 | 0.2000 | ND     |   | Pass   |
| Boscalid            | 0.2000 | 0.4000 | ND     |   | Pass   | Methomyl        | 0.2000 | 0.4000 | ND     |   | Pass   |
| Carbaryl            | 0.1000 | 0.2000 | ND     |   | Pass   | Myclobutanil    | 0.1000 | 0.2000 | ND     |   | Pass   |
| Carbofuran          | 0.1000 | 0.2000 | ND     |   | Pass   | Naled           | 0.2500 | 0.5000 | ND     |   | Pass   |
| Chlorantraniliprole | 0.1000 | 0.2000 | ND     |   | Pass   | Oxamyl          | 0.5000 | 1.0000 | ND     |   | Pass   |
| Chlorfenapyr        | 0.5000 | 1.0000 | ND     |   | Pass   | Paclobutrazol   | 0.2000 | 0.4000 | ND     |   | Pass   |
| Chlorpyrifos        | 0.1000 | 0.2000 | ND     |   | Pass   | Permethrins     | 0.1000 | 0.2000 | ND     |   | Pass   |
| Clofentezine        | 0.1000 | 0.2000 | ND     |   | Pass   | Phosmet         | 0.1000 | 0.2000 | ND     |   | Pass   |
| Cyfluthrin          | 0.5000 | 1.0000 | ND     |   | Pass   | Piperonyl       | 1.0000 | 2.0000 | ND     |   | Pass   |
| Cypermethrin        | 0.5000 | 1.0000 | ND     |   | Pass   | Butoxide        |        |        |        |   |        |
| Daminozide          | 0.5000 | 1.0000 | ND     |   | Pass   | Prallethrin     | 0.1000 | 0.2000 | ND     |   | Pass   |
| Diazinon            | 0.1000 | 0.2000 | ND     |   | Pass   | Propiconazole   | 0.2000 | 0.4000 | ND     |   | Pass   |
| Dichlorvos          | 0.0500 | 0.1000 | ND     |   | Pass   | Propoxur        | 0.1000 | 0.2000 | ND     |   | Pass   |
| Dimethoate          | 0.1000 | 0.2000 | ND     |   | Pass   | Pyrethrins      | 0.5000 | 1.0000 | ND     |   | Pass   |
| Ethoprophos         | 0.1000 | 0.2000 | ND     |   | Pass   | Pyridaben       | 0.1000 | 0.2000 | ND     |   | Pass   |
| Etofenprox          | 0.2000 | 0.4000 | ND     |   | Pass   | Spinosad        | 0.1000 | 0.2000 | ND     |   | Pass   |
| Etoxazole           | 0.1000 | 0.2000 | ND     |   | Pass   | Spiromesifen    | 0.1000 | 0.2000 | ND     |   | Pass   |
| Fenoxycarb          | 0.1000 | 0.2000 | ND     |   | Pass   | Spirotetramat   | 0.1000 | 0.2000 | ND     |   | Pass   |
| Fenpyroximate       | 0.2000 | 0.4000 | ND     |   | Pass   | Spiroxamine     | 0.2000 | 0.4000 | ND     |   | Pass   |
| Fipronil            | 0.2000 | 0.4000 | ND     |   | Pass   | Tebuconazole    | 0.2000 | 0.4000 | ND     |   | Pass   |
| Flonicamid          | 0.5000 | 1.0000 | ND     |   | Pass   | Thiacloprid     | 0.1000 | 0.2000 | ND     |   | Pass   |
| Fludioxonil         | 0.2000 | 0.4000 | ND     |   | Pass   | Thiamethoxam    | 0.1000 | 0.2000 | ND     |   | Pass   |
|                     |        |        |        |   |        | Trifloxystrobin | 0.1000 | 0.2000 | ND     |   | Pass   |

Date Tested: 07/28/2026 07:00 am



*Anthony Settanni*  
Anthony Settanni  
Lab Director  
07/30/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

## JUICY J

Sample ID: 2607APO3391.16803

Strain: JUICY J

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 07/24/2026 07:23 am

Received: 07/27/2026

Completed: 07/30/2026

Batch #: 063026R182-JJ

Harvest Date: 06/30/2026

Client

Globe Farmacy Inc

Lic. # 00000045DCYU00647140

Lot #:

Production/Manufacture Date:

Production/Manufacture Method: Mixed Light

## Microbials

Pass

| Analyte                                                                       | Limit                       | Result | Status | Q |
|-------------------------------------------------------------------------------|-----------------------------|--------|--------|---|
| Salmonella SPP by QPCR: SOP-15                                                | Detected/Not Detected in 1g | ND     | Pass   |   |
| Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14 | Detected/Not Detected in 1g | ND     | Pass   |   |
| Aspergillus Terreus by QPCR: SOP-14                                           | Detected/Not Detected in 1g | ND     | Pass   |   |

| Analyte                                | LOQ   | Limit | Result     | Status | Q |
|----------------------------------------|-------|-------|------------|--------|---|
|                                        | CFU/g | CFU/g | CFU/g      |        |   |
| E. Coli by traditional plating: SOP-13 | 10.0  | 100.0 | < 10 CFU/g | Pass   |   |

Date Tested: 07/30/2026 12:00 am

## Mycotoxins by SOP-22

Not Tested

| Analyte | LOD | LOQ | Limit | Units | Status | Q |
|---------|-----|-----|-------|-------|--------|---|
|---------|-----|-----|-------|-------|--------|---|

Date Tested:

## Heavy Metals by SOP-21

Pass

| Analyte | LOD    | LOQ    | Limit  | Units | Status | Q |
|---------|--------|--------|--------|-------|--------|---|
|         | PPM    | PPM    | PPM    | PPM   |        |   |
| Arsenic | 0.1000 | 0.1330 | 0.4000 | ND    | Pass   |   |
| Cadmium | 0.1000 | 0.1330 | 0.4000 | ND    | Pass   |   |
| Lead    | 0.2500 | 0.3330 | 1.0000 | ND    | Pass   |   |
| Mercury | 0.0500 | 0.0660 | 0.2000 | ND    | Pass   |   |

Date Tested: 07/27/2026 07:00 am



*Anthony Settanni*

Anthony Settanni  
Lab Director  
07/30/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

## JUICY J

Sample ID: 2607APO3391.16803  
Strain: JUICY J

Matrix: Plant  
Type: Flower - Cured  
Source Batch #:

Collected: 07/24/2026 07:23 am  
Received: 07/27/2026  
Completed: 07/30/2026  
Batch #: 063026R182-JJ  
Harvest Date: 06/30/2026

Client  
**Globe Pharmacy Inc**  
Lic. # 00000045DCYU00647140

Lot #:  
Production/Manufacture Date:  
Production/Manufacture Method: Mixed Light

## Qualifiers Definitions

| Qualifier Notation | Qualifier Description                                                                                                                                                                                                                                                                                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| D1                 | The limit of quantitation and the sample results were adjusted to reflect sample dilution                                                                                                                                                                                                                                                                                |
| I1                 | The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference                                                                                                                                                                                  |
| L1                 | When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample |
| M1                 | The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                                                                                                            |
| M2                 | The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                                                                                                             |
| M3                 | The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                              |
| R1                 | The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria                                                                                                                                                                            |
| V1                 | The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample                                                                                                        |
| Q1                 | Sample integrity was not maintained - Q1                                                                                                                                                                                                                                                                                                                                 |
| Q2                 | The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis                                                                                                                         |
| Q3                 | Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317                                                                                                                                                                                                 |

## Notes and Addenda:



*[Signature]*

Bryant Kearl  
Chief Scientific Officer  
07/30/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

## JUICY J

Sample ID: 2607APO3391.16803

Strain: JUICY J

Matrix: Plant

Type: Flower - Cured

Source Batch #:

Collected: 07/24/2026 07:23 am

Received: 07/27/2026

Completed: 07/30/2026

Batch #: 063026R182-JJ

Harvest Date: 06/30/2026

Client

**Globe Pharmacy Inc**

Lic. # 00000045DCYU00647140

Lot #:

Production/Manufacture Date:

Production/Manufacture Method: Mixed Light

## Customer Supplied Information:



Bryant Kearl  
Chief Scientific Officer  
07/30/2026

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.